



ſ	Patient		Baseline		Catheter dates Total		Total Infection determined by		<u>OR</u>		e signs/symptoms listed below	
L	Age	Sex	SOC date	temp'	IN	OUT	days ²	Infections ³	purulent drainage ▼		are present ▼	Check all that apply
									☐ purulent drainage at site	☐ redness	$\hfill \square$ inflammation	☐ serous drainage ☐ pain at site
1									a paraient dramage at site	□ heat	□ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	$\hfill \square$ inflammation	☐ serous drainage ☐ pain at site
2									= paraioni aramago ai ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
3										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
4										☐ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
5									— paraioni aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
6										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
7									paranom aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
8									— paraioni aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	■ inflammation	☐ serous drainage ☐ pain at site
9									= paraioni aramago ai oito	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
10									— paraioni aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
11									— paraioni aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
12									— paraioni aramago at ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
13									= paraioni aramago ai ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
14									= paraioni aramago ai ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	■ inflammation	☐ serous drainage ☐ pain at site
15									a paraient dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
16									a paraient dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	□ redness	☐ inflammation	☐ serous drainage ☐ pain at site
17									paraient diamage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
ſ									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
18									- purulent dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
ſ	_								☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
19				<u> </u>					- purulent uralnaye at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status

¹ Use temperature at admit/SOC ³ If pt is asymptomatic for 14 days after infection tx, new symptoms = new occurence

² Device days:catheter in for any part of the day= 1 day ⁴ Fever= 2.4°F above pt baseline temperature





	Patient Sov SOC date		Baseline		outhout dates		Total Total	Infection determined by	<u>OR</u>		ne signs/symptoms listed below	
	Age	Sex	SOC date	temp'	IN	OUT	days ²	Infections ³	purulent drainage ▼		are present ▼	
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
20									— p	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
21									= paraioni aramago ai ono	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
22									— p	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
23										☐ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
24									= paraioni aramago ai oito	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
25										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
26									purdient drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
27									■ purdient drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
28									a purdient dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
29									■ purdient drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
30									■ purulent urainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
31									■ purdient drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	inflammation	☐ serous drainage ☐ pain at site
32									■ purdient drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	inflammation	☐ serous drainage ☐ pain at site
33									purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
34									purulerit uralirage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
					_				D purulant drainaga et aita	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
35									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									□ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
36										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									Dipurulant drainaga at aita	□ redness	☐ inflammation	☐ serous drainage ☐ pain at site
37									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									Discondinated and the control of the	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
38									☐ purulent drainage at site	☐ heat	☐ fever ⁴	☐ decline in mental/functional status
							<u> </u>		1	-		

¹ Use temperature at admit/SOC ³ If pt is asymptomatic for 14 days after infection tx, new symptoms = new occurence

² Device days:catheter in for any part of the day= 1 day ⁴ Fever= 2.4°F above pt baseline temperature





	Patient Age Sex SOC date		Baseline temp ¹	Cathete IN	ter dates Total OUT days ²		Total Infections ³	Infection determined by	<u>OR</u>	OR 4 or more of the signs/symptoms listed below are present ▼ Check all that apply		
-	Age	Sex	SOC date	temp	IN	001	uays	iniections	purulent drainage ▼			
									☐ purulent drainage at site	ì		☐ serous drainage ☐ pain at site
39										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
40									·	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	_	☐ serous drainage ☐ pain at site
41									·	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
42										☐ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
43									— р	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness		☐ serous drainage ☐ pain at site
44										□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
45									a paraient diamage at one	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
46									a paraient dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
47									a paraient aramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
48									a paraient dramage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
49									a purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
50									a purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	□ inflammation	☐ serous drainage ☐ pain at site
51									a purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									☐ purulent drainage at site	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
52									purulerit drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									D purulant drainaga et aita	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
53									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
[Dinurulant drainage et site	□ redness	☐ inflammation	☐ serous drainage ☐ pain at site
54									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
Ī									Discourse of decisions of all a	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
55									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									Discondinated and the second of the	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
56									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
j									Daywala day 1 5		☐ inflammation	☐ serous drainage ☐ pain at site
57									☐ purulent drainage at site	☐ heat	☐ fever ⁴	decline in mental/functional status
- · L							1		1			

¹ Use temperature at admit/SOC ³ If pt is asymptomatic for 14 days after infection tx, new symptoms = new occurence

² Device days:catheter in for any part of the day= 1 day ⁴ Fever= 2.4°F above pt baseline temperature





	Pati Age	ient Sex	SOC date	Baseline temp ¹	Cathete IN	r dates OUT	Total days ²	Total Infections ³	Infection determined by purulent drainage ▼	<u>OR</u>	4 or more of th	e signs/symptoms listed below Check all that apply
F	Age	Jex	300 date	temp	111	001	uuys	miccions	purulent uramage v	l Dl.		11.
									purulent drainage at site	i	☐ fever ⁴	☐ serous drainage ☐ pain at site
58										heat		decline in mental/functional status
									purulent drainage at site	1	☐ fever ⁴	☐ serous drainage ☐ pain at site
59										□ heat □ redness	☐ inflammation	☐ decline in mental/functional status ☐ serous drainage ☐ pain at site
60									purulent drainage at site	□ heat	☐ fever ⁴	, ,
60											☐ inflammation	☐ decline in mental/functional status☐ serous drainage☐ pain at site☐
61									purulent drainage at site	heat	☐ fever ⁴	□ decline in mental/functional status
81												☐ serous drainage ☐ pain at site
62									purulent drainage at site	heat	☐ fever ⁴	☐ decline in mental/functional status
02											inflammation	☐ serous drainage ☐ pain at site
63									purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
03										redness	inflammation	☐ serous drainage ☐ pain at site
64									☐ purulent drainage at site	□ heat	☐ fever ⁴	□ decline in mental/functional status
04										redness	inflammation	☐ serous drainage ☐ pain at site
65									□ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
03											☐ inflammation	□ serous drainage □ pain at site
66									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
											☐ inflammation	□ serous drainage □ pain at site
67									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
ŭ, F											☐ inflammation	☐ serous drainage ☐ pain at site
68									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
											☐ inflammation	☐ serous drainage ☐ pain at site
69									☐ purulent drainage at site	¦ □ heat	☐ fever ⁴	decline in mental/functional status
										□ redness	☐ inflammation	☐ serous drainage ☐ pain at site
70									☐ purulent drainage at site	☐ heat	☐ fever ⁴	☐ decline in mental/functional status
										☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
71									☐ purulent drainage at site	□ heat	□ fever ⁴	☐ decline in mental/functional status
									B 1 . 1	□ redness	☐ inflammation	☐ serous drainage ☐ pain at site
72									☐ purulent drainage at site	□ heat	□ fever ⁴	☐ decline in mental/functional status
									Danimilant during no at aite	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
73									☐ purulent drainage at site	☐ heat	□ fever ⁴	☐ decline in mental/functional status
ļ									Discourse of discourse of all a	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
74									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
									Dispussions drainage at aits	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
75									☐ purulent drainage at site	□ heat	☐ fever ⁴	☐ decline in mental/functional status
ſ									Dinurulant drainage at aits	☐ redness	☐ inflammation	☐ serous drainage ☐ pain at site
76									☐ purulent drainage at site	☐ heat	☐ fever ⁴	☐ decline in mental/functional status

¹ Use temperature at admit/SOC ³ If pt is asymptomatic for 14 days after infection tx, new symptoms = new occurence

² Device days:catheter in for any part of the day= 1 day ⁴ Fever= 2.4°F above pt baseline temperature